

Environmental Declaration -Type II Self-declared Environmental Claims

General information

Declaration type	Environmental labels and declarations - Self-declared environmental claims - Type II environmental labelling - compliant with ISO 14021:2016 This document encompasses a range of products with similar material compositions and specifically highlights the product with the greatest weight within that range.
Owner of this declaration	BELIMO Automation AG Brunnenbachstrasse 1 8340 Hinwil Switzerland
Description of the organisation	BELIMO Automation AG is a leading global developer, manufacturer, and distributor of field devices, which are crucial in the precise control of heating, ventilation, and air conditioning systems. Our consistent commitment to innovation, reliability, and energy efficiency directly influences system performance and efficiency.
	Our global headquarters is in Hinwil, Switzerland, and we have a presence in more than 80 countries worldwide. Our focus on providing localised customer support and service underlines our role as a reliable international partner. Our dedication to sustainability and environmental protection is evident in our corporate strategies, daily operations, and especially in our approach to product development.
Product-related or management system- related certifications	Quality management ISO 9001 Environmental management ISO 14001

Belimo and the UN Sustainable Development Goals (SDGs)

At Belimo, our product portfolio, business processes, and values are naturally aligned with UN Sustainable Development Goals, focusing on the environment, health and well-being, and society.

Trust, integrity, competence, and responsibility – values that lie at the foundation of environmental, economic, and social sustainability – define our corporate culture. As an employer, we support personal commitment, teamwork, cultural diversity, and the courage to take risks to inspire customers. We have designed and optimised our product portfolio to maximise energy efficiency and longevity. One hundred percent of our sales align with the UN Sustainable Development Goals.

Our overall sustainability mission is to promote global sustainability by creating healthier indoor environments that consume less energy.

Health and well-being Belimo products offer improved indoor air quality, promoting the health, comfort, and wellbeing of building occupants and enabling critical applications. Our intelligent HVAC components control the major factors affecting room climate and assure a stable and healthy environment (SDG 3).

Environment Our products save energy and reduce CO2 emissions. Moreover, they increase the energy efficiency of buildings (SDG 7) and contribute to their resilience (SDG 9), while making our cities safer and more sustainable (SDG 11). Through our activities, we contribute to doubling the global rate of improvement in energy efficiency, creating measurable sustainability benefits, and strengthening resilience and adaptive capacity to climate-related disasters (SDG 13).



Belimo and the UN Sustainable Development Goals (SDGs)

Society As an employer, we continuously create excellent jobs that emphasise personal commitment, engagement, growth, teamwork, and cultural diversity (SDG 8). We uphold sustainable procurement practices and localised sourcing, minimising waste, and optimising logistics through modularising our product ranges and applying environmental management standards at our central production sites (SDG 12).

Covered products						
Product group:	Room uni	t Repr	esentative product:		CR24-A3	
This document is base covered by this declar		product with the great	est weight in the produc	ct group. The list that fo	llows includes all products	
Product family:	01RT					
01RT-1B-0	01RT-1C-0	01RT-1D-0	01RT-1F-0	01RT-1L-0	01RT-1M-0	
01RT-1Q-0						
Product family:	22RT					
22RT-19-1	22RTH-19-1	22RTM-19-1				
Product family:	CR					
CR24-A1	CR24-A2	CR24-A3	CR24-B1	CR24-B2	CR24-B2E	
CR24-B3	CRA24-B1P	CRA24-B3	CRA24-B3P	CRK24-B1	CRP24-B1	
Product family:	P-01RT					
P-01RT-1B-0	P-01RT-1F-0	P-01RT-1L-0	P-01RT-1M-0			
Product family:	P-22RT					
P-22RT-1900D-1	P-22RTH-1U00A-2	P-22RTH-1U00D-2	P-22RTH-1900A-1	P-22RTH-1900D-1	P-22RTM-1U00A-2	
P-22RTM-1U00D-2	P-22RTM-1900A-1	P-22RTM-1900D-1				
Product informatio	n					
	Chemical disclosure	RoHS EU Directive 2011/65/EU (RoHS)				
		This product complies with the EU Directive 2011/65/EU (RoHS), which restricts the use of specific hazardous materials in electrical and electronic equipment.				
		REACH 1907/2006 (EC Regulation REACH)				
		This product complies with the provisions of EC Regulation No 1907/2006, also known as REACH (Registration, Evaluation, Authorisation, and Restriction of Chemicals).				
Recycling and end-	of-life information					
		The recycling quot using the following	a (metal material propor J formula:	tion) is calculated		
		Recycling quota = 100 x Metal weight / Total weight				
		For calculating the formula is used:	recycling rate (metal and	d plastic material propo	rtion), the following	
		Recycling rate = 100 x (Metal weight + Plastic material weight) / Total weight				



Recycling and end-of-life information					
Disposal	Product Devices belonging to this produ and should not be disposed of v Local and applicable regulation	with regular c		f after their life cycle	
	Packaging Belimo's packaging providers perform their work according to RESY guidelines. Packaging is recyclable.				
Environmental benefit					
	Belimo offers tailored and optir improve cost efficiency over the			r demands, and	
	Belimo products and processes are continuously optimised and enhanced. This is achieved by close collaboration with suppliers and partners.				
Logistics					
Transport	Due to the strategic presence or managed to minimise transport		sation Centres globally, Be	limo has effectively	
	Component	Material	Weight		
Product materials and fire load					
	Material	Weight	% Weight	Fire load	
Total	Material	Weight	% Weight	Fire load	
Total	Material * without packaging materials	Weight	% Weight	Fire load	
Total	* without packaging materials Fire load calculation according t	to the formula	a:	Fire load	
Total	* without packaging materials	to the formula	a:	Fire load	
Total Basic embodied carbon calculation	* without packaging materials Fire load calculation according t	to the formula	a:	Fire load	
	* without packaging materials Fire load calculation according t	to the formula hergy value [N on herein follo lding Services erial composi p and buffer f ort to Factory	a: /J/kg] bws the 'Basic' methodolog s Engineers (CIBSE). This ap tion to compute embodied factors are employed to acc), A3	y outlined in TM65 by oproach relies on data l carbon for both the count for additional life	
Basic embodied carbon calculation	* without packaging materials Fire load calculation according t Fire load [MJ] = weight [kg] x en The embodied carbon calculation the Chartered Institution of Buil pertaining to the product's mat A1 (Material Extraction) Scale-un cycle stages such as A2 (Transport (Manufacturing), A4 (Transport	to the formula hergy value [N on herein follo lding Services erial composi p and buffer f ort to Factory	a: /J/kg] bws the 'Basic' methodolog s Engineers (CIBSE). This ap tion to compute embodied factors are employed to acc), A3	y outlined in TM65 by oproach relies on data l carbon for both the count for additional life	
Basic embodied carbon calculation Calculation methodology	* without packaging materials Fire load calculation according t Fire load [MJ] = weight [kg] x en The embodied carbon calculation the Chartered Institution of Buil pertaining to the product's mathor A1 (Material Extraction) Scale-up cycle stages such as A2 (Transport (Manufacturing), A4 (Transport Processing), and C4 (Disposal).	to the formula hergy value [N on herein follo lding Services erial composi p and buffer f ort to Factory to Site), C2 (T	a: /J/kg] bws the 'Basic' methodolog s Engineers (CIBSE). This ap tion to compute embodied factors are employed to acc), A3	y outlined in TM65 by oproach relies on data l carbon for both the count for additional life	



Disclaimer

This environmental declaration, classified as Type II, was prepared by Belimo Automation AG in alignment with ISO 14021 standards. This document is provided solely for informational purposes. As Belimo products continue to advance technically, we reserve the right to introduce technical modifications without prior notice or announcement.

The information in the product confirmation is based on Belimo's best knowledge at the time of release of this document. This declaration is provided on an "as is" basis without express or implied warranties or commitments of any kind.